



Product Highlights:

- Efficacy up to 150lm/W
- Power ranges from 20W to 150W
- 3000K, 4000K and 5700K
- Independent 10KV lightning protection device
- High protection level IP66 & IK10
- Suitable for Post-top or Side-entry mounting

Light is advancement

LEDENVO™ LED Street Light V2

The latest versatile and cost-effective outdoor luminaire for street lighting applications.

LEDENVO™ LED Street Light V2



LEDENVO® LED Street light V2, the latest versatile and cost-effective outdoor luminaire for street lighting applications. This highly efficient product family provides wide range of power options from 20W to 150W with efficacy up to 150lm/W. The robust aluminum body and classic appearance with Post-top or Side-entry mounting offer you a flexible installation. An independent 10KV lightning protection device will be incorporated into the fixture in order to enhance the safety for various street illumination. LEDENVO® LED Street light V2 will be your ideal solution for different urban street lighting applications.

Micro 20W / 30W



Mini 50W / 60W / 70W



Midi 90W-150W



LEDENVO™ LED Street Light V2

Advantages & Benefits

Balance performance

- Efficacy up to 150lm/W
- Power ranges from 20W to 150W
- CCT available at 3000K, 4000K and 5700K
- Choice of 3 years warranty and 5 years warranty

Robust and Durable

- Independent 10KV lightning protection device

- Robust aluminum body
- High protection level IP66 & IK10

Flexible Installation


- Suitable for Post-top or Side-entry mounting
- Tilt angle adjustable
- Mounting on 40–60mm diameter pole

Applications


- Major Road, Local Road & Residential Road Rural
- Road lighting
- Commercial district road lighting
- Industrial areas road lighting
- Parking lot lighting

Dimensions


Micro 20W / 30W



Mini 50W / 60W / 70W




Midi 90W-150W




Photometrics

SNB (155°X55°)



SMB (150°X70°)



LEDENVO™ LED Street Light V2

Product Reference	Ordering Code (EAN40)		V	W	Hz	K	lm					
LEDENOSTV2.20W 730 SPD VS4 OSRAM	4062172350259	Warm white	220-240~	20	50 / 60	3000	2700	NB	383	114	82	3
LEDENOSTV2.20W 740 SPD VS4 OSRAM	4062172350273	Neutral white	220-240~	20	50 / 60	4000	2900	NB	383	114	82	3
LEDENOSTV2.20W 757 SPD VS4 OSRAM	4062172350297	Cold white	220-240~	20	50 / 60	5700	2900	NB	383	114	82	3
LEDENOSTV2.30W 730 SPD VS4 OSRAM	4062172350310	Warm white	220-240~	30	50 / 60	3000	4050	NB	383	114	82	3
LEDENOSTV2.30W 740 SPD VS4 OSRAM	4062172350334	Neutral white	220-240~	30	50 / 60	4000	4350	NB	383	114	82	3
LEDENOSTV2.30W 757 SPD VS4 OSRAM	4062172350358	Cold white	220-240~	30	50 / 60	5700	4350	NB	383	114	82	3
LEDENOSTV2.50W 730 SPD VS4 OSRAM	4062172350372	Warm white	220-240~	50	50 / 60	3000	6750	NB	453	125	82	3
LEDENOSTV2.50W 740 SPD VS4 OSRAM	4062172350396	Neutral white	220-240~	50	50 / 60	4000	7250	NB	453	125	82	3
LEDENOSTV2.50W 757 SPD VS4 OSRAM	4062172350419	Cold white	220-240~	50	50 / 60	5700	7250	NB	453	125	82	3
LEDENOSTV2.60W 730 SPD VS4 OSRAM	4062172350433	Warm white	220-240~	60	50 / 60	3000	8100	NB	453	125	82	3
LEDENOSTV2.60W 740 SPD VS4 OSRAM	4062172350457	Neutral white	220-240~	60	50 / 60	4000	8700	NB	453	125	82	3
LEDENOSTV2.60W 757 SPD VS4 OSRAM	4062172350471	Cold white	220-240~	60	50 / 60	5700	8700	NB	453	125	82	3
LEDENOSTV2.70W 730 SPD VS4 OSRAM	4062172350495	Warm white	220-240~	70	50 / 60	3000	9450	NB	453	125	82	3
LEDENOSTV2.70W 740 SPD VS4 OSRAM	4062172350518	Neutral white	220-240~	70	50 / 60	4000	10150	NB	453	125	82	3
LEDENOSTV2.70W 757 SPD VS4 OSRAM	4062172350532	Cold white	220-240~	70	50 / 60	5700	10150	NB	453	125	82	3
LEDENOSTV2.90W 730 SPD VS2 OSRAM	4062172350556	Warm white	220-240~	90	50 / 60	3000	12150	MB	586	200	82	3
LEDENOSTV2.90W 740 SPD VS2 OSRAM	4062172350570	Neutral white	220-240~	90	50 / 60	4000	13050	MB	586	200	82	3
LEDENOSTV2.90W 757 SPD VS2 OSRAM	4062172350594	Cold white	220-240~	90	50 / 60	5700	13050	MB	586	200	82	3
LEDENOSTV2.120W 730 SPD VS2 OSRAM	4062172350617	Warm white	220-240~	120	50 / 60	3000	16200	MB	586	200	82	3
LEDENOSTV2.120W 740 SPD VS2 OSRAM	4062172350631	Neutral white	220-240~	120	50 / 60	4000	17400	MB	586	200	82	3
LEDENOSTV2.120W 757 SPD VS2 OSRAM	4062172350655	Cold white	220-240~	120	50 / 60	5700	17400	MB	586	200	82	3
LEDENOSTV2.150W 730 SPD VS2 OSRAM	4062172350679	Warm white	220-240~	150	50 / 60	3000	20250	MB	586	200	82	3
LEDENOSTV2.150W 740 SPD VS2 OSRAM	4062172350693	Neutral white	220-240~	150	50 / 60	4000	21750	MB	586	200	82	3
LEDENOSTV2.150W 757 SPD VS2 OSRAM	4062172350716	Cold white	220-240~	150	50 / 60	5700	21750	MB	586	200	82	3
LEDENOSTV2P.20W 730 SPD VS4 OSRAM	4062172350761	Warm white	220-240~	20	50 / 60	3000	2700	NB	383	114	82	5
LEDENOSTV2P.20W 740 SPD VS4 OSRAM	4062172350785	Neutral white	220-240~	20	50 / 60	4000	2900	NB	383	114	82	5
LEDENOSTV2P.20W 757 SPD VS4 OSRAM	4062172350808	Cold white	220-240~	20	50 / 60	5700	2900	NB	383	114	82	5
LEDENOSTV2P.30W 730 SPD VS4 OSRAM	4062172350822	Warm white	220-240~	30	50 / 60	3000	4050	NB	383	114	82	5
LEDENOSTV2P.30W 740 SPD VS4 OSRAM	4062172350846	Neutral white	220-240~	30	50 / 60	4000	4350	NB	383	114	82	5
LEDENOSTV2P.30W 757 SPD VS4 OSRAM	4062172350860	Cold white	220-240~	30	50 / 60	5700	4350	NB	383	114	82	5
LEDENOSTV2P.50W 730 SPD VS4 OSRAM	4062172350884	Warm white	220-240~	50	50 / 60	3000	6750	NB	453	125	82	5
LEDENOSTV2P.50W 740 SPD VS4 OSRAM	4062172350907	Neutral white	220-240~	50	50 / 60	4000	7250	NB	453	125	82	5
LEDENOSTV2P.50W 757 SPD VS4 OSRAM	4062172350921	Cold white	220-240~	50	50 / 60	5700	7250	NB	453	125	82	5
LEDENOSTV2P.60W 730 SPD VS4 OSRAM	4062172350945	Warm white	220-240~	60	50 / 60	3000	8100	NB	453	125	82	5
LEDENOSTV2P.60W 740 SPD VS4 OSRAM	4062172350969	Neutral white	220-240~	60	50 / 60	4000	8700	NB	453	125	82	5
LEDENOSTV2P.60W 757 SPD VS4 OSRAM	4062172350983	Cold white	220-240~	60	50 / 60	5700	8700	NB	453	125	82	5
LEDENOSTV2P.70W 730 SPD VS4 OSRAM	4062172351003	Warm white	220-240~	70	50 / 60	3000	9450	NB	453	125	82	5
LEDENOSTV2P.70W 740 SPD VS4 OSRAM	4062172351027	Neutral white	220-240~	70	50 / 60	4000	10150	NB	453	125	82	5
LEDENOSTV2P.70W 757 SPD VS4 OSRAM	4062172351041	Cold white	220-240~	70	50 / 60	5700	10150	NB	453	125	82	5
LEDENOSTV2P.90W 730 SPD VS2 OSRAM	4062172351065	Warm white	220-240~	90	50 / 60	3000	12150	MB	586	200	82	5
LEDENOSTV2P.90W 740 SPD VS2 OSRAM	4062172351089	Neutral white	220-240~	90	50 / 60	4000	13050	MB	586	200	82	5
LEDENOSTV2P.90W 757 SPD VS2 OSRAM	4062172351102	Cold white	220-240~	90	50 / 60	5700	13050	MB	586	200	82	5
LEDENOSTV2P.120W 730 SPD VS2 OSRAM	4062172351126	Warm white	220-240~	120	50 / 60	3000	16200	MB	586	200	82	5
LEDENOSTV2P.120W 740 SPD VS2 OSRAM	4062172351140	Neutral white	220-240~	120	50 / 60	4000	17400	MB	586	200	82	5
LEDENOSTV2P.120W 757 SPD VS2 OSRAM	4062172351164	Cold white	220-240~	120	50 / 60	5700	17400	MB	586	200	82	5
LEDENOSTV2P.150W 730 SPD VS2 OSRAM	4062172351188	Warm white	220-240~	150	50 / 60	3000	20250	MB	586	200	82	5
LEDENOSTV2P.150W 740 SPD VS2 OSRAM	4062172351201	Neutral white	220-240~	150	50 / 60	4000	21750	MB	586	200	82	5
LEDENOSTV2P.150W 757 SPD VS2 OSRAM	4062172351225	Cold white	220-240~	150	50 / 60	5700	21750	MB	586	200	82	5

Technical data subject to variation and change without notice.

Traxon e:cue

Sales enquiry: Traxon.ecue.newsletter@traxon-ecue.com

www.traxon-ecue.com