



Product Highlights:

- Flexible product options: 4 power options and 30° vertical adjustable housing
- Reliable die-cast housing
- Long lifetime up to 25,000 hours

Light is comfortable

LEDCOMFO® Spot Light HP

Suitable for commercial applications with flexible product options and adjustable structure.

Light is OSRAM

OSRAM

LEDCOMFO® Spot Light HP

LEDCOMFO® Spot Light HP series is the recessed ceiling spot light solution as a replacement for existing inefficient halogen spot light. High power LED lighting with concave stepping cover design provides high brightness yet good glare control. LEDCOMFO® Spot Light HP series provides flexible power, color temperature and beam angles with adjustable structure to provide the perfect fit lighting for commercial applications.

Advantages & Benefits

Flexible product options

- 15° / 24° / 40° beam angle options
- 6W / 9W / 18W / 30W power options
- 30° vertical adjustable

Quality light

- Best-in-class COB platform provides consistent and even color and brightness
- Concave stepping cover design to offer good glare control
- Highly reflective reflector to offer good light uniformity


Reliability

- Die-casting housing
- Spray finished metal rim provides rich product textures

Applications


- Merchandise displays
- Commercial buildings
- Retail stores
- Shopping malls
- Lobbies and corridors

Photometrics



LED COMFO® Spot Light HP






Dimensions



	6W	9W	18W	30W
ØD	77mm	91mm	111mm	140mm
H	59mm	65mm	85mm	106mm



LED COMFO® Spot Light HP

Product Reference	Ordering Code (EAN40)		V	W	Hz		K	lm			
LED COMFO SL HP 6W 830 15D 48X1 OSRAM	4052899479234	Warm white	220~240	6	50 / 60	15	3000	472	77	59	48
LED COMFO SL HP 6W 840 15D 48X1 OSRAM	4052899479258	Neutral white	220~240	6	50 / 60	15	4000	505	77	59	48
LED COMFO SL HP 6W 857 15D 48X1 OSRAM	4052899479272	Cold white	220~240	6	50 / 60	15	5700	538	77	59	48
LED COMFO SL HP 6W 830 24D 48X1 OSRAM	4052899479296	Warm white	220~240	6	50 / 60	24	3000	472	77	59	48
LED COMFO SL HP 6W 840 24D 48X1 OSRAM	4052899479319	Neutral white	220~240	6	50 / 60	24	4000	505	77	59	48
LED COMFO SL HP 6W 857 24D 48X1 OSRAM	4052899479333	Cold white	220~240	6	50 / 60	24	5700	538	77	59	48
LED COMFO SL HP 6W 830 40D 48X1 OSRAM	4052899479357	Warm white	220~240	6	50 / 60	40	3000	472	77	59	48
LED COMFO SL HP 6W 840 40D 48X1 OSRAM	4052899479371	Neutral white	220~240	6	50 / 60	40	4000	505	77	59	48
LED COMFO SL HP 6W 857 40D 48X1 OSRAM	4052899479395	Cold white	220~240	6	50 / 60	40	5700	538	77	59	48
LED COMFO SL HP 9W 830 15D 48X1 OSRAM	4052899479418	Warm white	220~240	9	50 / 60	15	3000	631	91	65	48
LED COMFO SL HP 9W 840 15D 48X1 OSRAM	4052899479432	Neutral white	220~240	9	50 / 60	15	4000	675	91	65	48
LED COMFO SL HP 9W 857 15D 48X1 OSRAM	4052899479456	Cold white	220~240	9	50 / 60	15	5700	719	91	65	48
LED COMFO SL HP 9W 830 24D 48X1 OSRAM	4052899479470	Warm white	220~240	9	50 / 60	24	3000	631	91	65	48
LED COMFO SL HP 9W 840 24D 48X1 OSRAM	4052899479494	Neutral white	220~240	9	50 / 60	24	4000	675	91	65	48
LED COMFO SL HP 9W 857 24D 48X1 OSRAM	4052899479517	Cold white	220~240	9	50 / 60	24	5700	719	91	65	48
LED COMFO SL HP 9W 830 40D 48X1 OSRAM	4052899479531	Warm white	220~240	9	50 / 60	40	3000	631	91	65	48
LED COMFO SL HP 9W 840 40D 48X1 OSRAM	4052899479555	Neutral white	220~240	9	50 / 60	40	4000	675	91	65	48
LED COMFO SL HP 9W 857 40D 48X1 OSRAM	4052899479579	Cold white	220~240	9	50 / 60	40	5700	719	91	65	48
LED COMFO SL HP 18W 830 15D 36X1 OSRAM	4052899479593	Warm white	220~240	18	50 / 60	15	3000	1309	111	85	36
LED COMFO SL HP 18W 840 15D 36X1 OSRAM	4052899479616	Neutral white	220~240	18	50 / 60	15	4000	1400	111	85	36
LED COMFO SL HP 18W 857 15D 36X1 OSRAM	4052899479630	Cold white	220~240	18	50 / 60	15	5700	1491	111	85	36
LED COMFO SL HP 18W 830 24D 36X1 OSRAM	4052899479654	Warm white	220~240	18	50 / 60	24	3000	1309	111	85	36
LED COMFO SL HP 18W 840 24D 36X1 OSRAM	4052899479678	Neutral white	220~240	18	50 / 60	24	4000	1400	111	85	36
LED COMFO SL HP 18W 857 24D 36X1 OSRAM	4052899479692	Cold white	220~240	18	50 / 60	24	5700	1491	111	85	36
LED COMFO SL HP 18W 830 40D 36X1 OSRAM	4052899479715	Warm white	220~240	18	50 / 60	40	3000	1309	111	85	36
LED COMFO SL HP 18W 840 40D 36X1 OSRAM	4052899479739	Neutral white	220~240	18	50 / 60	40	4000	1400	111	85	36
LED COMFO SL HP 18W 857 40D 36X1 OSRAM	4052899479753	Cold white	220~240	18	50 / 60	40	5700	1491	111	85	36
LED COMFO SL HP 30W 830 15D 24X1 OSRAM	4052899479777	Warm white	220~240	30	50 / 60	15	3000	2319	140	106	24
LED COMFO SL HP 30W 840 15D 24X1 OSRAM	4052899479791	Neutral white	220~240	30	50 / 60	15	4000	2480	140	106	24
LED COMFO SL HP 30W 857 15D 24X1 OSRAM	4052899479814	Cold white	220~240	30	50 / 60	15	5700	2641	140	106	24
LED COMFO SL HP 30W 830 24D 24X1 OSRAM	4052899479838	Warm white	220~240	30	50 / 60	24	3000	2319	140	106	24
LED COMFO SL HP 30W 840 24D 24X1 OSRAM	4052899479852	Neutral white	220~240	30	50 / 60	24	4000	2480	140	106	24
LED COMFO SL HP 30W 857 24D 24X1 OSRAM	4052899479876	Cold white	220~240	30	50 / 60	24	5700	2641	140	106	24
LED COMFO SL HP 30W 830 40D 24X1 OSRAM	4052899479890	Warm white	220~240	30	50 / 60	40	3000	2319	140	106	24
LED COMFO SL HP 30W 840 40D 24X1 OSRAM	4052899479913	Neutral white	220~240	30	50 / 60	40	4000	2480	140	106	24
LED COMFO SL HP 30W 857 40D 24X1 OSRAM	4052899479937	Cold white	220~240	30	50 / 60	40	5700	2641	140	106	24

Technical data subject to variation and change without notice.

OSRAM Lighting Solutions Asia Pacific

Sales enquiry: lighting.solutions.apac@osram.com
www.lightingsolutions.osram.com/asia

