



**Product Highlights:**

- Full available in size, power and beam angle
- 50% energy saving compared to traditional downlight
- Without flicker, Low glare, UGR<19
- Up to 110 lm/W
- 30,000hrs lifetime

# Light is comprehensive

## LEDTOUCH™ Cylinder Downlight V2

A comprehensive downlight for indoor applications.


**Light is OSRAM**

Our Brands

traxon e:cue

**OSRAM**

## LEDTOUCH™ Cylinder Downlight V2



LEDTOUCH™ Cylinder Downlight series is the ideal energy-saving replacement for 35W, 70W and 150W metal halide downlights, which provides high quality lighting for high-ceiling spaces for indoor applications. LEDTOUCH™ Cylinder Downlight series have full available in size, power and beam angle on request for better energy efficiency and operation efficiency.

### Advantages & Benefits

---

#### Energy saving

- 50% energy saving compared to traditional downlight

#### Outstanding light performance

- Without flicker, Low glare, UGR<19
- Up to 110 lm/W
- 30,000hrs lifetime

#### Whole range for all applications

- Size: 3.5"/4"/5.5"/6"/8"/10"
- 12 kinds of powers: 8W/15W/20W/24W/28W/33W/35W/50W/75W/100W/120W/150W
- CCT: 3000K/4000K/5000K


### Applications

---

- Metro stations
- Airports
- Office buildings
- Shopping Mall
- Public buildings


## LEDTOUCH™ Cylinder Downlight V2

### Dimensions



	3.5"	4"	5.5"	6"	8"	10"
D	90mm	110mm	135mm	160mm	220mm	260mm
H	110mm	140mm	170mm	200mm	235mm	275mm

### Photometrics



### Product Reference






### Ordering Code (EAN40)



LDTH CYLINDER V2 350 8W 930 24D 18X1 OSRAM	4062172272261	Warm White	220-240	8	50/60	95	3000	720	90	110	18
LDTH CYLINDER V2 350 8W 930 38D 18X1 OSRAM	4062172272285	Warm White	220-240	8	50/60	95	3000	720	90	110	18
LDTH CYLINDER V2 350 8W 930 57D 18X1 OSRAM	4062172272308	Warm White	220-240	8	50/60	57	3000	720	90	110	18
LDTH CYLINDER V2 350 8W 940 24D 18X1 OSRAM	4062172272322	Neutral White	220-240	8	50/60	24	4000	720	90	110	18
LDTH CYLINDER V2 350 8W 940 38D 18X1 OSRAM	4062172272346	Neutral White	220-240	8	50/60	38	4000	720	90	110	18
LDTH CYLINDER V2 350 8W 940 57D 18X1 OSRAM	4062172272360	Neutral White	220-240	8	50/60	57	4000	720	90	110	18
LDTH CYLINDER V2 350 8W 950 24D 18X1 OSRAM	4062172272384	Cold White	220-240	8	50/60	24	5000	720	90	110	18
LDTH CYLINDER V2 350 8W 950 38D 18X1 OSRAM	4062172272445	Cold White	220-240	8	50/60	38	5000	720	90	110	18
LDTH CYLINDER V2 350 8W 950 57D 18X1 OSRAM	4062172272469	Cold White	220-240	8	50/60	57	5000	720	90	110	18
LDTH CYLINDER V2 350 15W 930 24D 18X1 OSRAM	4062172272483	Warm White	220-240	15	50/60	24	3000	1350	90	110	18
LDTH CYLINDER V2 350 15W 930 38D 18X1 OSRAM	4062172272506	Warm White	220-240	15	50/60	38	3000	1350	90	110	18
LDTH CYLINDER V2 350 15W 930 57D 18X1 OSRAM	4062172272520	Warm White	220-240	15	50/60	57	3000	1350	90	110	18
LDTH CYLINDER V2 350 15W 940 24D 18X1 OSRAM	4062172272544	Neutral White	220-240	15	50/60	24	4000	1350	90	110	18
LDTH CYLINDER V2 350 15W 940 38D 18X1 OSRAM	4062172272568	Neutral White	220-240	15	50/60	38	4000	1350	90	110	18
LDTH CYLINDER V2 350 15W 940 57D 18X1 OSRAM	4062172272582	Neutral White	220-240	15	50/60	57	4000	1350	90	110	18
LDTH CYLINDER V2 350 15W 950 24D 18X1 OSRAM	4062172272605	Cold White	220-240	15	50/60	24	5000	1350	90	110	18
LDTH CYLINDER V2 350 15W 950 38D 18X1 OSRAM	4062172272629	Cold White	220-240	15	50/60	38	5000	1350	90	110	18
LDTH CYLINDER V2 350 15W 950 57D 18X1 OSRAM	4062172272643	Cold White	220-240	15	50/60	57	5000	1350	90	110	18
LDTH CYLINDER V2 400 15W 930 24D 12X1 OSRAM	4062172272667	Warm White	220-240	15	50/60	24	3000	1350	90	110	12
LDTH CYLINDER V2 400 15W 930 38D 12X1 OSRAM	4062172272681	Warm White	220-240	15	50/60	38	3000	1350	90	110	12
LDTH CYLINDER V2 400 15W 930 57D 12X1 OSRAM	4062172272704	Warm White	220-240	15	50/60	57	3000	1350	90	110	12
LDTH CYLINDER V2 400 15W 940 24D 12X1 OSRAM	4062172272728	Neutral White	220-240	15	50/60	24	4000	1350	90	110	12
LDTH CYLINDER V2 400 15W 940 38D 12X1 OSRAM	4062172272742	Neutral White	220-240	15	50/60	38	4000	1350	90	110	12
LDTH CYLINDER V2 400 15W 940 57D 12X1 OSRAM	4062172272766	Neutral White	220-240	15	50/60	57	4000	1350	90	110	12
LDTH CYLINDER V2 400 15W 950 24D 12X1 OSRAM	4062172272780	Cold White	220-240	15	50/60	24	5000	1350	90	110	12
LDTH CYLINDER V2 400 15W 950 38D 12X1 OSRAM	4062172272803	Cold White	220-240	15	50/60	38	5000	1350	90	110	12
LDTH CYLINDER V2 400 15W 950 57D 12X1 OSRAM	4062172272827	Cold White	220-240	15	50/60	57	5000	1350	90	110	12



## LEDTOUCH™ Cylinder Downlight V2

Product Reference	Ordering Code (EAN40)		V	W	Hz		K	lm			
LDTH CYLINDER V2 400 20W 930 24D 12X1 OSRAM	4062172272841	Warm White	220-240	20	50/60	24	3000	1800	110	140	12
LDTH CYLINDER V2 400 20W 930 38D 12X1 OSRAM	4062172272865	Warm White	220-240	20	50/60	38	3000	1800	110	140	12
LDTH CYLINDER V2 400 20W 930 57D 12X1 OSRAM	4062172272889	Warm White	220-240	20	50/60	57	3000	1800	110	140	12
LDTH CYLINDER V2 400 20W 940 24D 12X1 OSRAM	4062172272902	Neutral White	220-240	20	50/60	24	4000	1800	110	140	12
LDTH CYLINDER V2 400 20W 940 38D 12X1 OSRAM	4062172272926	Neutral White	220-240	20	50/60	38	4000	1800	110	140	12
LDTH CYLINDER V2 400 20W 940 57D 12X1 OSRAM	4062172272940	Neutral White	220-240	20	50/60	57	4000	1800	110	140	12
LDTH CYLINDER V2 400 20W 950 24D 12X1 OSRAM	4062172272964	Cold White	220-240	20	50/60	24	5000	1800	110	140	12
LDTH CYLINDER V2 400 20W 950 38D 12X1 OSRAM	4062172272988	Cold White	220-240	20	50/60	38	5000	1800	110	140	12
LDTH CYLINDER V2 400 20W 950 57D 12X1 OSRAM	4062172273008	Cold White	220-240	20	50/60	57	5000	1800	110	140	12
LDTH CYLINDER V2 400 24W 930 24D 12X1 OSRAM	4062172273022	Warm White	220-240	24	50/60	24	3000	2160	110	140	12
LDTH CYLINDER V2 400 24W 930 38D 12X1 OSRAM	4062172273046	Warm White	220-240	24	50/60	38	3000	2160	110	140	12
LDTH CYLINDER V2 400 24W 930 57D 12X1 OSRAM	4062172273060	Warm White	220-240	24	50/60	57	3000	2160	110	140	12
LDTH CYLINDER V2 400 24W 940 24D 12X1 OSRAM	4062172273084	Neutral White	220-240	24	50/60	24	4000	2160	110	140	12
LDTH CYLINDER V2 400 24W 940 38D 12X1 OSRAM	4062172273107	Neutral White	220-240	24	50/60	38	4000	2160	110	140	12
LDTH CYLINDER V2 400 24W 940 57D 12X1 OSRAM	4062172273121	Neutral White	220-240	24	50/60	57	4000	2160	110	140	12
LDTH CYLINDER V2 400 24W 950 24D 12X1 OSRAM	4062172273145	Cold White	220-240	24	50/60	24	5000	2160	110	140	12
LDTH CYLINDER V2 400 24W 950 38D 12X1 OSRAM	4062172273169	Cold White	220-240	24	50/60	38	5000	2160	110	140	12
LDTH CYLINDER V2 400 24W 950 57D 12X1 OSRAM	4062172273183	Cold White	220-240	24	50/60	57	5000	2160	110	140	12
LDTH CYLINDER V2 550 28W 930 24D 4X1 OSRAM	4062172273206	Warm White	220-240	28	50/60	24	3000	2520	135	170	4
LDTH CYLINDER V2 550 28W 930 38D 4X1 OSRAM	4062172272407	Warm White	220-240	28	50/60	38	3000	2520	135	170	4
LDTH CYLINDER V2 550 28W 930 57D 4X1 OSRAM	4062172272421	Warm White	220-240	28	50/60	57	3000	2520	135	170	4
LDTH CYLINDER V2 550 28W 940 24D 4X1 OSRAM	4062172273220	Neutral White	220-240	28	50/60	24	4000	2520	135	170	4
LDTH CYLINDER V2 550 28W 940 38D 4X1 OSRAM	4062172273244	Neutral White	220-240	28	50/60	38	4000	2520	135	170	4
LDTH CYLINDER V2 550 28W 940 57D 4X1 OSRAM	4062172273268	Neutral White	220-240	28	50/60	57	4000	2520	135	170	4
LDTH CYLINDER V2 550 28W 950 24D 4X1 OSRAM	4062172273282	Cold White	220-240	28	50/60	24	5000	2520	135	170	4
LDTH CYLINDER V2 550 28W 950 38D 4X1 OSRAM	4062172273305	Cold White	220-240	28	50/60	38	5000	2520	135	170	4
LDTH CYLINDER V2 550 28W 950 57D 4X1 OSRAM	4062172273329	Cold White	220-240	28	50/60	57	5000	2520	135	170	4
LDTH CYLINDER V2 550 33W 930 24D 4X1 OSRAM	4062172273343	Warm White	220-240	33	50/60	24	3000	2970	135	170	4
LDTH CYLINDER V2 550 33W 930 38D 4X1 OSRAM	4062172273367	Warm White	220-240	33	50/60	38	3000	2970	135	170	4
LDTH CYLINDER V2 550 33W 930 57D 4X1 OSRAM	4062172273381	Warm White	220-240	33	50/60	57	3000	2970	135	170	4
LDTH CYLINDER V2 550 33W 940 24D 4X1 OSRAM	4062172273404	Neutral White	220-240	33	50/60	24	4000	2970	135	170	4
LDTH CYLINDER V2 550 33W 940 38D 4X1 OSRAM	4062172273428	Neutral White	220-240	33	50/60	38	4000	2970	135	170	4
LDTH CYLINDER V2 550 33W 940 57D 4X1 OSRAM	4062172273442	Neutral White	220-240	33	50/60	57	4000	2970	135	170	4
LDTH CYLINDER V2 550 33W 950 24D 4X1 OSRAM	4062172273466	Cold White	220-240	33	50/60	24	5000	2970	135	170	4
LDTH CYLINDER V2 550 33W 950 38D 4X1 OSRAM	4062172273480	Cold White	220-240	33	50/60	38	5000	2970	135	170	4
LDTH CYLINDER V2 550 33W 950 57D 4X1 OSRAM	4062172273503	Cold White	220-240	33	50/60	57	5000	2970	135	170	4
LDTH CYLINDER V2 600 35W 930 57D 4X1 OSRAM	4062172273527	Warm White	220-240	35	50/60	57	3000	3500	160	200	4
LDTH CYLINDER V2 600 35W 940 57D 4X1 OSRAM	4062172273541	Neutral White	220-240	35	50/60	57	4000	3500	160	200	4
LDTH CYLINDER V2 600 35W 950 57D 4X1 OSRAM	4062172273565	Cold White	220-240	35	50/60	57	5000	3500	160	200	4
LDTH CYLINDER V2 600 50W 930 57D 4X1 OSRAM	4062172273589	Warm White	220-240	50	50/60	57	3000	5000	160	200	4
LDTH CYLINDER V2 600 50W 940 57D 4X1 OSRAM	4062172273602	Neutral White	220-240	50	50/60	57	4000	5000	160	200	4
LDTH CYLINDER V2 600 50W 950 57D 4X1 OSRAM	4062172273626	Cold White	220-240	50	50/60	57	5000	5000	160	200	4
LDTH CYLINDER V2 800 75W 930 57D VS1 OSRAM	4062172273633	Warm White	220-240	75	50/60	57	3000	8250	220	235	1
LDTH CYLINDER V2 800 75W 940 57D VS1 OSRAM	4062172273640	Neutral White	220-240	75	50/60	57	4000	8250	220	235	1
LDTH CYLINDER V2 800 75W 950 57D VS1 OSRAM	4062172273657	Cold White	220-240	75	50/60	57	5000	8250	220	235	1
LDTH CYLINDER V2 800 100W 930 57D VS1 OSRAM	4062172273664	Warm White	220-240	100	50/60	57	3000	11000	220	235	1
LDTH CYLINDER V2 800 100W 940 57D VS1 OSRAM	4062172273671	Neutral White	220-240	100	50/60	57	4000	11000	220	235	1
LDTH CYLINDER V2 800 100W 950 57D VS1 OSRAM	4062172273688	Cold White	220-240	100	50/60	57	5000	11000	220	235	1
LDTH CYLINDER V2 1000 120W 930 57D VS1 OSRAM	4062172273695	Warm White	220-240	120	50/60	57	3000	13200	260	275	1
LDTH CYLINDER V2 1000 120W 940 57D VS1 OSRAM	4062172273701	Neutral White	220-240	120	50/60	57	4000	13200	260	275	1
LDTH CYLINDER V2 1000 120W 950 57D VS1 OSRAM	4062172273717	Cold White	220-240	120	50/60	57	5000	13200	260	275	1
LDTH CYLINDER V2 1000 150W 930 57D VS1 OSRAM	4062172273725	Warm White	220-240	150	50/60	57	3000	16500	260	275	1
LDTH CYLINDER V2 1000 150W 940 57D VS1 OSRAM	4062172273732	Neutral White	220-240	150	50/60	57	4000	16500	260	275	1
LDTH CYLINDER V2 1000 150W 950 57D VS1 OSRAM	4062172273749	Cold White	220-240	150	50/60	57	5000	16500	260	275	1

Technical data subject to variation and change without notice.

OSRAM copyrights reserved 2021. Subject to change without notice. Errors and omission excepted. All images used are for illustrative purposes only and not intended to reflect actual product performance.

Traxon e:cue

Sales enquiry: [Traxon.ecue.newsletter@osram.com](mailto:Traxon.ecue.newsletter@osram.com)

[www.traxontechnologies.com](http://www.traxontechnologies.com)

