



**Product Highlights:**

- Classic appearance design
- Power range: 50W to 400W
- Flexible optical design
- Flicker free
- IP66/IK08

# Light is durable

## Simplitz® Flood Light V2

The latest LED flood light with classic appearance design

**Light is OSRAM**

Our Brands

traxon e:cue

**OSRAM**

## Simplitz® Flood Light V2



Simplitz® Flood Light V2 family has a classic appearance design with durable aluminum die-casting housing and high strength tempered glass cover. The power ranges are available from 50W to 400W, and flexible optical design. Its flexible configuration can satisfy most of indoor and outdoor applications, such as billboard, street crossing area and building façade lighting. Simplitz® Flood light V2 can provide the best solution for flood lighting with great quality and low maintenance costs.

### Features and Benefits

---

#### Fulfill various lighting applications

- Full power range, From 50W to 400W
- Varied light distribution, Flexible optical design
- Flicker free

#### High reliability

- Ultra-lumen maintenance L70 @Ta30°C~70,000 hours
- Durable aluminum die-casing housing
- High Level protection, IP66&IK08
- Full Operating Temp: -40°C to +55°C

### Applications


---

- Billboard illumination
- Facade and building illuminations
- Street crossing area lighting
- Flood lighting


# Simplitz® Flood Light V2

## Dimensions


Micro 50 / 70 / 100W




Mini 150W



Midi 200 / 250W




Maxi 300 / 400W




## Photometrics


20°




30°




60°









90°









50° x 100°









## Simplitz® Flood Light V2

Product Reference	Ordering Code (EAN40)		V	Hz	W	K					
								[mm]	[in]	[mm]	
SIM FL V2 50W 730 20D 2X1 OSRAM	4062172217057	Warm white	220-240	50/60	50	3000	20	305	285	70	2
SIM FL V2 50W 740 20D 2X1 OSRAM	4062172217071	Neutral white	220-240	50/60	50	4000	20	305	285	70	2
SIM FL V2 50W 757 20D 2X1 OSRAM	4062172217095	Cold white	220-240	50/60	50	5700	20	305	285	70	2
SIM FL V2 50W 730 30D 2X1 OSRAM	4062172217118	Warm white	220-240	50/60	50	3000	30	305	285	70	2
SIM FL V2 50W 740 30D 2X1 OSRAM	4062172217132	Neutral white	220-240	50/60	50	4000	30	305	285	70	2
SIM FL V2 50W 757 30D 2X1 OSRAM	4062172217156	Cold white	220-240	50/60	50	5700	30	305	285	70	2
SIM FL V2 50W 730 60D 2X1 OSRAM	4062172217170	Warm white	220-240	50/60	50	3000	60	305	285	70	2
SIM FL V2 50W 740 60D 2X1 OSRAM	4062172217194	Neutral white	220-240	50/60	50	4000	60	305	285	70	2
SIM FL V2 50W 757 60D 2X1 OSRAM	4062172217217	Cold white	220-240	50/60	50	5700	60	305	285	70	2
SIM FL V2 50W 730 50X100D 2X1 OSRAM	4062172217231	Warm white	220-240	50/60	50	3000	50x100	305	285	70	2
SIM FL V2 50W 740 50X100D 2X1 OSRAM	4062172217255	Neutral white	220-240	50/60	50	4000	50x100	305	285	70	2
SIM FL V2 50W 757 50X100D 2X1 OSRAM	4062172217279	Cold white	220-240	50/60	50	5700	50x100	305	285	70	2
SIM FL V2 70W 730 20D 2X1 OSRAM	4062172217293	Warm white	220-240	50/60	70	3000	20	305	285	70	2
SIM FL V2 70W 740 20D 2X1 OSRAM	4062172217316	Neutral white	220-240	50/60	70	4000	20	305	285	70	2
SIM FL V2 70W 757 20D 2X1 OSRAM	4062172217330	Cold white	220-240	50/60	70	5700	20	305	285	70	2
SIM FL V2 70W 730 30D 2X1 OSRAM	4062172217354	Warm white	220-240	50/60	70	3000	30	305	285	70	2
SIM FL V2 70W 740 30D 2X1 OSRAM	4062172217378	Neutral white	220-240	50/60	70	4000	30	305	285	70	2
SIM FL V2 70W 757 30D 2X1 OSRAM	4062172217392	Cold white	220-240	50/60	70	5700	30	305	285	70	2
SIM FL V2 70W 730 60D 2X1 OSRAM	4062172217415	Warm white	220-240	50/60	70	3000	60	305	285	70	2
SIM FL V2 70W 740 60D 2X1 OSRAM	4062172217439	Neutral white	220-240	50/60	70	4000	60	305	285	70	2
SIM FL V2 70W 757 60D 2X1 OSRAM	4062172217453	Cold white	220-240	50/60	70	5700	60	305	285	70	2
SIM FL V2 70W 730 50X100D 2X1 OSRAM	4062172217477	Warm white	220-240	50/60	70	3000	50x100	305	285	70	2
SIM FL V2 70W 740 50X100D 2X1 OSRAM	4062172217491	Neutral white	220-240	50/60	70	4000	50x100	305	285	70	2
SIM FL V2 70W 757 50X100D 2X1 OSRAM	4062172217514	Cold white	220-240	50/60	70	5700	50x100	305	285	70	2
SIM FL V2 100W 730 20D 2X1 OSRAM	4062172217538	Warm white	220-240	50/60	100	3000	20	305	285	70	2
SIM FL V2 100W 740 20D 2X1 OSRAM	4062172217552	Neutral white	220-240	50/60	100	4000	20	305	285	70	2
SIM FL V2 100W 757 20D 2X1 OSRAM	4062172217576	Cold white	220-240	50/60	100	5700	20	305	285	70	2
SIM FL V2 100W 730 30D 2X1 OSRAM	4062172217590	Warm white	220-240	50/60	100	3000	30	305	285	70	2
SIM FL V2 100W 740 30D 2X1 OSRAM	4062172217613	Neutral white	220-240	50/60	100	4000	30	305	285	70	2
SIM FL V2 100W 757 30D 2X1 OSRAM	4062172217637	Cold white	220-240	50/60	100	5700	30	305	285	70	2
SIM FL V2 100W 730 60D 2X1 OSRAM	4062172217651	Warm white	220-240	50/60	100	3000	60	305	285	70	2
SIM FL V2 100W 740 60D 2X1 OSRAM	4062172217675	Neutral white	220-240	50/60	100	4000	60	305	285	70	2
SIM FL V2 100W 757 60D 2X1 OSRAM	4062172217699	Cold white	220-240	50/60	100	5700	60	305	285	70	2
SIM FL V2 100W 730 50X100D 2X1 OSRAM	4062172217712	Warm white	220-240	50/60	100	3000	50x100	305	285	70	2
SIM FL V2 100W 740 50X100D 2X1 OSRAM	4062172217736	Neutral white	220-240	50/60	100	4000	50x100	305	285	70	2
SIM FL V2 100W 757 50X100D 2X1 OSRAM	4062172217750	Cold white	220-240	50/60	100	5700	50x100	305	285	70	2

## Simplitz® Flood Light V2

Product Reference	Ordering Code (EAN40)		V	Hz	W	K					
SIM FL V2 150W 730 20D 2X1 OSRAM	4062172217774	Warm white	220-240	50/60	150	3000	20	355	325	70	2
SIM FL V2 150W 740 20D 2X1 OSRAM	4062172217798	Neutral white	220-240	50/60	150	4000	20	355	325	70	2
SIM FL V2 150W 757 20D 2X1 OSRAM	4062172217811	Cold white	220-240	50/60	150	5700	20	355	325	70	2
SIM FL V2 150W 730 30D 2X1 OSRAM	4062172217835	Warm white	220-240	50/60	150	3000	30	355	325	70	2
SIM FL V2 150W 740 30D 2X1 OSRAM	4062172217859	Neutral white	220-240	50/60	150	4000	30	355	325	70	2
SIM FL V2 150W 757 30D 2X1 OSRAM	4062172217873	Cold white	220-240	50/60	150	5700	30	355	325	70	2
SIM FL V2 150W 730 60D 2X1 OSRAM	4062172217897	Warm white	220-240	50/60	150	3000	60	355	325	70	2
SIM FL V2 150W 740 60D 2X1 OSRAM	4062172217910	Neutral white	220-240	50/60	150	4000	60	355	325	70	2
SIM FL V2 150W 757 60D 2X1 OSRAM	4062172217934	Cold white	220-240	50/60	150	5700	60	355	325	70	2
SIM FL V2 150W 730 50X100D 2X1 OSRAM	4062172217958	Warm white	220-240	50/60	150	3000	50x100	355	325	70	2
SIM FL V2 150W 740 50X100D 2X1 OSRAM	4062172217972	Neutral white	220-240	50/60	150	4000	50x100	355	325	70	2
SIM FL V2 150W 757 50X100D 2X1 OSRAM	4062172217996	Cold white	220-240	50/60	150	5700	50x100	355	325	70	2
SIM FL V2 200W 730 20D 2X1 OSRAM	4062172218252	Warm white	220-240	50/60	200	3000	20	400	360	76	2
SIM FL V2 200W 740 20D 2X1 OSRAM	4062172218276	Neutral white	220-240	50/60	200	4000	20	400	360	76	2
SIM FL V2 200W 757 20D 2X1 OSRAM	4062172218290	Cold white	220-240	50/60	200	5700	20	400	360	76	2
SIM FL V2 200W 730 30D 2X1 OSRAM	4062172218313	Warm white	220-240	50/60	200	3000	30	400	360	76	2
SIM FL V2 200W 740 30D 2X1 OSRAM	4062172218337	Neutral white	220-240	50/60	200	4000	30	400	360	76	2
SIM FL V2 200W 757 30D 2X1 OSRAM	4062172218351	Cold white	220-240	50/60	200	5700	30	400	360	76	2
SIM FL V2 200W 730 60D 2X1 OSRAM	4062172218375	Warm white	220-240	50/60	200	3000	60	400	360	76	2
SIM FL V2 200W 740 60D 2X1 OSRAM	4062172218399	Neutral white	220-240	50/60	200	4000	60	400	360	76	2
SIM FL V2 200W 757 60D 2X1 OSRAM	4062172218412	Cold white	220-240	50/60	200	5700	60	400	360	76	2
SIM FL V2 200W 730 50X100D 2X1 OSRAM	4062172218436	Warm white	220-240	50/60	200	3000	50x100	400	360	76	2
SIM FL V2 200W 740 50X100D 2X1 OSRAM	4062172218450	Neutral white	220-240	50/60	200	4000	50x100	400	360	76	2
SIM FL V2 200W 757 50X100D 2X1 OSRAM	4062172218474	Cold white	220-240	50/60	200	5700	50x100	400	360	76	2
SIM FL V2 250W 730 20D 2X1 OSRAM	4062172218498	Warm white	220-240	50/60	250	3000	20	400	360	76	2
SIM FL V2 250W 740 20D 2X1 OSRAM	4062172218511	Neutral white	220-240	50/60	250	4000	20	400	360	76	2
SIM FL V2 250W 757 20D 2X1 OSRAM	4062172218535	Cold white	220-240	50/60	250	5700	20	400	360	76	2
SIM FL V2 250W 730 30D 2X1 OSRAM	4062172218559	Warm white	220-240	50/60	250	3000	30	400	360	76	2
SIM FL V2 250W 740 30D 2X1 OSRAM	4062172218573	Neutral white	220-240	50/60	250	4000	30	400	360	76	2
SIM FL V2 250W 757 30D 2X1 OSRAM	4062172218597	Cold white	220-240	50/60	250	5700	30	400	360	76	2
SIM FL V2 250W 730 60D 2X1 OSRAM	4062172218610	Warm white	220-240	50/60	250	3000	60	400	360	76	2
SIM FL V2 250W 740 60D 2X1 OSRAM	4062172218634	Neutral white	220-240	50/60	250	4000	60	400	360	76	2
SIM FL V2 250W 757 60D 2X1 OSRAM	4062172218658	Cold white	220-240	50/60	250	5700	60	400	360	76	2
SIM FL V2 250W 730 50X100D 2X1 OSRAM	4062172218672	Warm white	220-240	50/60	250	3000	50x100	400	360	76	2
SIM FL V2 250W 740 50X100D 2X1 OSRAM	4062172218696	Neutral white	220-240	50/60	250	4000	50x100	400	360	76	2
SIM FL V2 250W 757 50X100D 2X1 OSRAM	4062172218719	Cold white	220-240	50/60	250	5700	50x100	400	360	76	2

## Simplitz® Flood Light V2

Product Reference	Ordering Code (EAN40)		V	Hz	W	K					
SIM FL V2 300W 730 20D VS1 OSRAM	4062172218009	Warm white	220-240	50/60	300	3000	20	561	406	73	1
SIM FL V2 300W 740 20D VS1 OSRAM	4062172218016	Neutral white	220-240	50/60	300	4000	20	561	406	73	1
SIM FL V2 300W 757 20D VS1 OSRAM	4062172218023	Cold white	220-240	50/60	300	5700	20	561	406	73	1
SIM FL V2 300W 730 30D VS1 OSRAM	4062172218030	Warm white	220-240	50/60	300	3000	30	561	406	73	1
SIM FL V2 300W 740 30D VS1 OSRAM	4062172218047	Neutral white	220-240	50/60	300	4000	30	561	406	73	1
SIM FL V2 300W 757 30D VS1 OSRAM	4062172218054	Cold white	220-240	50/60	300	5700	30	561	406	73	1
SIM FL V2 300W 730 60D VS1 OSRAM	4062172218061	Warm white	220-240	50/60	300	3000	60	561	406	73	1
SIM FL V2 300W 740 60D VS1 OSRAM	4062172218078	Neutral white	220-240	50/60	300	4000	60	561	406	73	1
SIM FL V2 300W 757 60D VS1 OSRAM	4062172218085	Cold white	220-240	50/60	300	5700	60	561	406	73	1
SIM FL V2 300W 730 50X100D VS1 OSRAM	4062172218092	Warm white	220-240	50/60	300	3000	50x100	561	406	73	1
SIM FL V2 300W 740 50X100D VS1 OSRAM	4062172218108	Neutral white	220-240	50/60	300	4000	50x100	561	406	73	1
SIM FL V2 300W 757 50X100D VS1 OSRAM	4062172218115	Cold white	220-240	50/60	300	5700	50x100	561	406	73	1
SIM FL V2 400W 730 20D VS1 OSRAM	4062172218122	Warm white	220-240	50/60	400	3000	20	561	406	73	1
SIM FL V2 400W 740 20D VS1 OSRAM	4062172218139	Neutral white	220-240	50/60	400	4000	20	561	406	73	1
SIM FL V2 400W 757 20D VS1 OSRAM	4062172218146	Cold white	220-240	50/60	400	5700	20	561	406	73	1
SIM FL V2 400W 730 30D VS1 OSRAM	4062172218153	Warm white	220-240	50/60	400	3000	30	561	406	73	1
SIM FL V2 400W 740 30D VS1 OSRAM	4062172218160	Neutral white	220-240	50/60	400	4000	30	561	406	73	1
SIM FL V2 400W 757 30D VS1 OSRAM	4062172218177	Cold white	220-240	50/60	400	5700	30	561	406	73	1
SIM FL V2 400W 730 60D VS1 OSRAM	4062172218184	Warm white	220-240	50/60	400	3000	60	561	406	73	1
SIM FL V2 400W 740 60D VS1 OSRAM	4062172218191	Neutral white	220-240	50/60	400	4000	60	561	406	73	1
SIM FL V2 400W 757 60D VS1 OSRAM	4062172218207	Cold white	220-240	50/60	400	5700	60	561	406	73	1
SIM FL V2 400W 730 50X100D VS1 OSRAM	4062172218214	Warm white	220-240	50/60	400	3000	50x100	561	406	73	1
SIM FL V2 400W 740 50X100D VS1 OSRAM	4062172218221	Neutral white	220-240	50/60	400	4000	50x100	561	406	73	1
SIM FL V2 400W 757 50X100D VS1 OSRAM	4062172218238	Cold white	220-240	50/60	400	5700	50x100	561	406	73	1

Technical data subject to variation and change without notice.

Traxon e:cue

Sales enquiry: [Traxon.ecue.newsletter@osram.com](mailto:Traxon.ecue.newsletter@osram.com)

[www.osram.asia/lis](http://www.osram.asia/lis)

