



Product Highlights:

- Uniform light with no dark spot or yellow rim
- Excellent glare control, UGR<19, which offers comfortable visual effect
- High efficacy up to 110 lm/W
- 50,000hrs lifetime and more than 50% energy saving compared to CFL

Light is optimization Simplitz® Panel

An economic and energy-saving lighting solutions for commercial area.

Light is OSRAM

OSRAM

Simplitz® Panel



Simplitz® Panel is an economic and energy-saving replacement for traditional panel/louvers. With two sizes and three different ways of mounting, it perfectly fits a variety of applications to provide quality general lighting that enhances sense of well-being.

Advantages & Benefits

Enhanced sense of well-being

- Uniform light with no dark spot or yellow rim
- Excellent glare control, UGR<19, which offers comfortable visual effect
- Flicker-free

Optimized total cost of ownership

- High efficacy up to 110 lm/W
- More than 50% energy saving compared to CFL
- 50,000 hours lifetime reduces maintenance cost
- Integrated ceiling version that saves accessory cost

High flexibility

- Customized wattage available on request


Applications

- Offices
- Hospitals
- Schools
- Banks
- Express stores

Simplitz® Panel


Dimensions

Suspension Mounting



	2ft x 2ft	4ft x 1ft
L	595mm	1195mm
W	595 mm	295mm
H	11.5mm	11.5mm


Integrated Ceiling Mounting



	2ft x 2ft	4ft x 1ft
L	600mm	1200mm
W	600mm	300mm
H	15mm	15mm

Photometrics

Light Distribution Curve (4000K, 6500K)



Simplitz® Panel

Product Reference	Ordering Code (EAN40)		V	W	Hz		K	lm	b [mm]	l [mm]	h [mm]	
SIMPLITZ PANEL 0606 LP 840 2X1 OSRAM	4052899567962	Neutral white	220-240	32	50/60	120	4000	3520	595	595	11.5	2
SIMPLITZ PANEL 0606 LP 865 2X1 OSRAM	4052899567986	Cold white	220-240	32	50/60	120	6500	3520	595	595	11.5	2
SIMPLITZ PANEL 0606 LP 840 IT 2X1 OSRAM	4052899568129	Neutral white	220-240	32	50/60	120	4000	3520	600	600	15	2
SIMPLITZ PANEL 0606 LP 865 IT 2X1 OSRAM	4052899568143	Cold white	220-240	32	50/60	120	6500	3520	600	600	15	2
SIMPLITZ PANEL 0312 LP 840 2X1 OSRAM	4052899567887	Neutral white	220-240	32	50/60	120	4000	3520	1195	295	11.5	2
SIMPLITZ PANEL 0312 LP 865 2X1 OSRAM	4052899567900	Cold white	220-240	32	50/60	120	6500	3520	1195	295	11.5	2
SIMPLITZ PANEL 0312 LP 840 IT 2X1 OSRAM	4052899568044	Neutral white	220-240	32	50/60	120	4000	3520	1200	300	15	2
SIMPLITZ PANEL 0312 LP 865 IT 2X1 OSRAM	4052899568068	Cold white	220-240	32	50/60	120	6500	3520	1200	300	15	2
SIMPLITZ PANEL 0606 HP 840 2X1 OSRAM	4052899568006	Neutral white	220-240	56	50/60	120	4000	6160	595	595	11.5	2
SIMPLITZ PANEL 0606 HP 865 2X1 OSRAM	4052899568020	Cold white	220-240	56	50/60	120	6500	6160	595	595	11.5	2
SIMPLITZ PANEL 0606 HP 840 IT 2X1 OSRAM	4052899568167	Neutral white	220-240	56	50/60	120	4000	6160	600	600	15	2
SIMPLITZ PANEL 0606 HP 865 IT 2X1 OSRAM	4052899568181	Cold white	220-240	56	50/60	120	6500	6160	600	600	15	2
SIMPLITZ PANEL 0312 HP 840 2X1 OSRAM	4052899567924	Neutral white	220-240	56	50/60	120	4000	6160	1195	295	11.5	2
SIMPLITZ PANEL 0312 HP 865 2X1 OSRAM	4052899567948	Cold white	220-240	56	50/60	120	6500	6160	1195	295	11.5	2
SIMPLITZ PANEL 0312 HP 840 IT 2X1 OSRAM	4052899568082	Neutral white	220-240	56	50/60	120	4000	6160	1200	300	15	2
SIMPLITZ PANEL 0312 HP 865 IT 2X1 OSRAM	4052899568105	Cold white	220-240	56	50/60	120	6500	6160	1200	300	15	2

Technical data subject to variation and change without notice.

OSRAM copyrights reserved 2018. Subject to change without notice. Errors and omission excepted. All images used are for illustrative purposes only and not intended to reflect actual product performance.

